Listing of Claims:

Claim 1-52 (canceled).

Claim 53 (presently amended): A system that is useable to guide the advancement of a guidewire from a location within the lumen of a blood vessel to a <u>target</u> location within or outside of the wall of that blood vessel, said system comprising:

an elongate flexible catheter body that is advanceable through the vasculature into said blood vessel lumen, said catheter body having a side wall and at least one lumen extending longitudinally therethrough;

an opening formed in the side wall of said catheter body;

a <u>single</u> tissue penetrating element having a lumen, a tissue penetrating distal tip and a distal end opening, said tissue penetrating element being alternately disposable in;

- a) a first position wherein the tissue penetrating element is substantially within the catheter body; and
- b) a second position wherein the tissue penetrating element assumes a predetermined curved configuration and extends out of the opening formed in the side wall of said catheter body so as to penetrate a wall of the blood vessel adjacent to the blood vessel lumen in which the catheter is positioned; and

a guidewire that is advanceable through the lumen of the tissue penetrating element while the tissue penetrating element is in the second position; and

one ore more imageable markers useable in conjunction with an imaging apparatus to facilitate adjustment of the rotational orientation of the catheter body within the blood vessel so that subsequent advancement of the tissue penetrating element will cause the tissue penetrating element to advance in the direction of the target location.

Claim 54 (previously presented): A system according to claim 53 further comprising an anchoring member, said anchoring member being deployable when the catheter body is inserted into an anatomical lumen such that a surface of the anchoring member will engage a wall of the anatomical lumen thereby preventing at least a portion of the catheter body from undergoing substantial movement within the anatomical lumen.

Claim 55 (previously presented): A system according to claim 54 wherein the

anchoring member comprises a balloon.

Claim 56 (previously presented): A system according to claim 54 further

comprising a friction enhancing treatment upon a surface of the anchoring member.

Claim 57 (previously presented): A system according to claim 56 wherein

said friction enhancing treatment is selected from the group of friction enhancing treatments

consisting of:

texturing;

adhesive; and,

woven fabric.

Claim 58 (previously presented): A system according to claim 53 wherein

said one or more imageable markers and the target location are imageable by an

extracorporeally located further comprising a lumen within the catheter body to receive an

imaging apparatus and wherein the system further comprises an extracorporeally located

imaging apparatus that is useable for imaging said one or more imageable markers and the

target location.

Claim 59 (cancelled)

Claim 60 (cancelled)

Claim 61 (previously presented): A system comprising a device according to

claim 53 wherein said one or more imageable markers is or are imageable by an imaging

apparatus that is located on or in the catheter body and wherein the system further comprises

an imaging apparatus located on or in the catheter body and useable for imaging said one or

more imageable markers and the target location 58 in combination with an imaging apparatus

positioned with said lumen adapted to receive an imaging apparatus.

Claim 62 (previously presented): A system according to claim 61 wherein the

imaging apparatus comprises an intravascular ultrasound imaging apparatus.

Page 3 of 7

Claim 63 (presently amended): A system according to claim 58 wherein the catheter body has a first lumen from which the tissue penetrating element is advanced and a second lumen into which for receiving the imaging apparatus is inserted.